



# **basic education**

Department:  
Basic Education  
**REPUBLIC OF SOUTH AFRICA**

## **NATIONAL SENIOR CERTIFICATE/ NASIONALE SENIOR SERTIFIKAAT**

**GRADE/GRAAD 10**

**MATHEMATICS P1/WISKUNDE VI**

**NOVEMBER 2015**

**MEMORANDUM**

**MARKS/PUNTE: 100**

**This memorandum consists of 9 pages.  
Hierdie memorandum bestaan uit 9 bladsye.**

**NOTE:**

- If a candidate answered a question TWICE, mark only the FIRST attempt.
- If a candidate crossed out an answer and did not redo it, mark the crossed-out answer.
- Consistent accuracy applies to ALL aspects of the marking memorandum.
- Assuming values/answers in order to solve a problem is unacceptable.

**LET WEL:**

- As 'n kandidaat 'n vraag TWEE keer beantwoord het, sien slegs die EERSTE poging na.
- As 'n kandidaat 'n antwoord deurgehaal en nie oorgedoen het nie, sien die deurgehaalde antwoord na.
- Volgehoue akkuraatheid is op ALLE aspekte van die memorandum van toepassing.
- Dit is onaanvaarbaar om waardes/antwoorde aan te neem om 'n probleem op te los.


**QUESTION/VRAAG 1**

1.1.1	$  \begin{aligned}  & x^4 - 81 \\  &= (x^2 - 9)(x^2 + 9) \\  &= (x - 3)(x + 3)(x^2 + 9)  \end{aligned}  $	$  \begin{aligned}  & \checkmark (x^2 - 9)(x^2 + 9) \\  & \checkmark (x - 3)(x + 3)(x^2 + 9)  \end{aligned}  $	(2)
1.1.2	$  \begin{aligned}  & 6x^2y - 10xy + 15x - 25 \\  &= 2xy(3x - 5) + 5(3x - 5) \\  &= (2xy + 5)(3x - 5)  \end{aligned}  $ <p><b>OR/OF</b></p> $  \begin{aligned}  & 6x^2y - 10xy + 15x - 25 \\  &= 3x(2xy + 5) - 5(2xy + 5) \\  &= (2xy + 5)(3x - 5)  \end{aligned}  $	$  \begin{aligned}  & \checkmark 2xy(3x - 5) \\  & \checkmark 5(3x - 5) \\  & \checkmark (2xy + 5)(3x - 5)  \end{aligned}  $ $  \begin{aligned}  & \checkmark 3x(2xy + 5) \\  & \checkmark -5(2xy + 5) \\  & \checkmark (2xy + 5)(3x - 5)  \end{aligned}  $	(3)
1.2.1	$  \begin{aligned}  & \frac{3}{a-4} + \frac{2}{a+3} - \frac{21}{a^2-a-12} \\  &= \frac{3}{a-4} + \frac{2}{a+3} - \frac{21}{(a-4)(a+3)} \\  &= \frac{3(a+3) + 2(a-4) - 21}{(a-4)(a+3)} \\  &= \frac{3a+9+2a-8-21}{(a-4)(a+3)} \\  &= \frac{5a-20}{(a-4)(a+3)} \\  &= \frac{5(a-4)}{(a-4)(a+3)} \\  &= \frac{5}{a+3}  \end{aligned}  $	$  \begin{aligned}  & \checkmark (a-4)(a+3) \\  & \checkmark \frac{3(a+3)+2(a-4)-21}{(a-4)(a+3)}  \end{aligned}  $ $  \begin{aligned}  & \checkmark \text{simplification, i.e./} \\  & \checkmark \text{vereenvoudiging, d.i.} \\  & \quad \frac{5a-20}{(a-4)(a+3)}  \end{aligned}  $ $  \begin{aligned}  & \checkmark \text{answer/antwoord}  \end{aligned}  $	(5)

1.2.2	$  \begin{aligned}  & \frac{10^{2x+3} \cdot 4^{1-x}}{25^{2+x}} \\  &= \frac{(2 \cdot 5)^{2x+3} \cdot (2^2)^{1-x}}{(5^2)^{2+x}} \\  &= \frac{2^{2x+3} \cdot 5^{2x+3} \cdot 2^{2-2x}}{5^{4+2x}} \\  &= 2^{2x+3+2-2x} \cdot 5^{2x+3-4-2x} \\  &= 2^5 \cdot 5^{-1} \\  &= \frac{32}{5} \\  &= 6 \frac{2}{5}  \end{aligned}  $	<ul style="list-style-type: none"> <li>✓ writing bases in terms of prime factors/ skryf basisse in terme van priemfaktore</li> <li>✓ simplification/ vereenvoudiging</li> <li>✓ adding and subtracting indices/optel en aftrek van eksponente</li> </ul> <p>✓ <math>2^5 \cdot 5^{-1}</math> or/of <math>\frac{32}{5}</math> or/of <math>6 \frac{2}{5}</math></p>
1.3.1	$\sqrt{27}$	✓ answer/antwoord (1)
1.3.2	$\sqrt{-27}$	✓ answer/antwoord (1) [16]

**QUESTION/VRAAG 2**

2.1.1	$  \begin{aligned}  15x^2 - 14x - 8 &= 0 \\  (5x + 2)(3x - 4) &= 0 \\  5x + 2 = 0 \quad \text{or} \quad 3x - 4 &= 0 \\  x = -\frac{2}{5} \quad \text{or} \quad x = \frac{4}{3} &  \end{aligned}  $	<ul style="list-style-type: none"> <li>✓ standard form/standaardvorm</li> <li>✓ factorisation/faktorisering</li> <li>✓✓ answers/antwoorde</li> </ul>
2.1.2	$  \begin{aligned}  5^x &= \frac{1}{125} \\  5^x &= \frac{1}{5^3} \\  5^x &= 5^{-3} \\  x &= -3  \end{aligned}  $	<ul style="list-style-type: none"> <li>✓ <math>5^{-3}</math></li> <li>✓ answer/antwoord</li> </ul>
2.2.1	$  \begin{aligned}  3(x + 7) &< \frac{x}{2} + 1 \\  3x + 21 &< \frac{x}{2} + 1 \\  6x + 42 &< x + 2 \\  5x &< -40 \\  x &< -8  \end{aligned}  $	<ul style="list-style-type: none"> <li>✓ <math>3x + 21</math></li> <li>✓ <math>6x + 42 &lt; x + 2</math></li> <li>✓ answer/antwoord</li> </ul>

2.2.2		✓ indicating numbers to the left of $-8$ and $-8$ not included/ <i>dui getalle links van <math>-8</math> aan met <math>-8</math> nie ingesluit</i> (1)
2.3	<p>Let the amount of money Mary had be Rx/Laat die bedrag geld wat Mary gehad het x wees.</p> $\frac{1}{5}x = \frac{1}{3}x - 28$ $3x + 420 = 5x$ $2x = 420$ $x = 210$ <p>Mary had R210/Mary het R210 gehad.</p>	✓ $\frac{1}{3}x - 28$ ✓ $\frac{1}{5}x$ ✓ equation/vergelyking ✓ 210 (4) [14]

**QUESTION/VRAAG 3**

3.1.1	$-7 ; -12$	✓ $-7$ ✓ $-12$ (2)
3.1.2	$T_n = -5n + 13$	✓ $-5n$ ✓ 13 (2)
3.1.3	$T_n = -5n + 13$ $T_{30} = -5(30) + 13$ $= -137$	✓ substitution of/substitusie van $n = 30$ ✓ answer/antwoord (2)
3.1.4	$-5n + 13 = -492$ $-5n = -505$ $n = 101$	✓ $-5n + 13 = -492$ ✓ answer/antwoord (2)
3.2.1	$T_n = 2n - 1$	✓ $2n$ ✓ $-1$ (2)
3.2.2	$T_n = (2n - 1)^2$ $= 4n^2 - 4n + 1$	✓ $(2n - 1)^2$ (1)
3.2.3	$T_n = (2n - 1) - (2n - 1)^2$ $= 2n - 1 - (4n^2 - 4n + 1)$ $= 2n - 1 - 4n^2 + 4n - 1$ $= -4n^2 + 6n - 2$	✓ $(2n - 1) - (2n - 1)^2$ ✓ $2n - 1 - (4n^2 - 4n + 1)$ ✓ $2n - 1 - 4n^2 + 4n - 1$ ✓ answer/antwoord (4) [15]

**QUESTION/VRAAG 4**

4.1	$y = 1$	✓ answer/antwoord (1)
4.2	<p style="text-align: center;"><math>y = 1</math></p>	$f$ : ✓ shape of $f$ /vorm van $f$ ✓ $x$ -intercepts of $f$ / $x$ -afsnitte van $f$ ✓ $y$ -intercept (TP) of $f$ / $y$ -afsnit (DP) van $f$  $g$ : ✓ shape of $g$ /vorm van $g$ ✓ asymptote of $g$ / asimptoot van $g$ ✓ $y$ -intercept of $g$ / $y$ -afsnit van $g$  (6)
4.3	Range of $f$ /Waardeversameling van $f$ : $(-\infty; 2]$  OR/OF  Range of $f$ /Waardeversameling van $f$ : $y \leq 2$	✓ $(-\infty; 2]$ (1)  ✓ $y \leq 2$ (1)
4.4	Maximum of $3^{f(x)}$ will be obtained when $f(x)$ is at maximum. Max of $f(x)$ is 2 Max of $h$ will be $3^2 = 9$  <i>Maksimum van <math>3^{f(x)}</math> sal verkry word wanneer <math>f(x)</math> by maksimum is. Maks van <math>f(x)</math> is 2 Maks van <math>h</math> sal <math>3^2 = 9</math> wees.</i>	✓ Max of $f(x)$ is 2/ Maks van $f(x)$ is 2  ✓ Max of $h = 9$ / Maks van $h = 9$ (2)
4.5	$f$ would have been reflected in the $x$ -axis  <i><math>f</math> sou in die <math>x</math>-as gereflekteer gewees het</i>	✓ reflected/gereflekteer ✓ in the $x$ -axis/ in die $x$ -as (2)

**QUESTION/VRAAG 5**

5.1	$\begin{aligned} a &= \text{gradient of } g \\ &= \frac{-4 - 4}{-1 - 3} \\ &= 2 \\ 4 &= 2(3) + q \\ q &= -2 \\ g(x) &= 2x - 2 \end{aligned}$	✓ $a = \frac{-4 - 2}{-1 - 2}$ ✓ substituting/ <i>substitusie</i> B(3 ; 4) (2)
	<b>OR/OF</b> $\begin{aligned} a &= \text{gradient of } g \\ &= \frac{4 - (-4)}{3 - (-1)} \\ &= 2 \\ -4 &= 2(-1) + q \\ q &= -2 \\ g(x) &= 2x - 2 \end{aligned}$	✓ $a = \frac{4 - (-4)}{3 - (-1)}$ ✓ substituting/ <i>substitusie</i> A(-1 ; -4) (2)
	<b>OR/OF</b> $\begin{aligned} g(x) &= ax + q \\ 4 &= 3a + q \dots \dots \dots 1 \\ -4 &= -a + q \dots \dots \dots 2 \\ 1 - 2: \\ 8 &= 4a \\ a &= 2 \\ \text{Substitute in 1/Substitusie in 1:} \\ 4 &= 3(2) + q \\ q &= -2 \\ g(x) &= 2x - 2 \end{aligned}$	✓ substituting both points/ <i>substitusie van beide punte</i> ✓ solving simultaneously/ <i>los gelyktydig op</i> (2)
5.2	$\begin{aligned} \frac{1}{x} - 1 &= 2x - 2 \\ \frac{1}{x} &= 2x - 1 \\ 1 &= 2x^2 - x \\ 2x^2 - x - 1 &= 0 \\ (2x+1)(x-1) &= 0 \\ x = -\frac{1}{2} &\quad \text{or} \quad x = 1 \end{aligned}$	✓ equating/ <i>gelykstelling</i> ✓ standard form/ <i>standaardvorm</i> ✓ factors/ <i>faktore</i> ✓ <i>x</i> -values/-waardes (4)

5.3	$-\frac{1}{2} \leq x < 0 \quad \text{or/of} \quad x \geq 1$ <p><b>OR/OF</b></p> $\left[ -\frac{1}{2}; 0 \right) \cup [1; \infty)$	$\checkmark x \geq -\frac{1}{2}$ $\checkmark x < 0$ $\checkmark x \geq 1$ $\checkmark [-0,5$ $\checkmark 0)$ $\checkmark [1; \infty)$	(3) (3)
5.4	$f(3) = \frac{1}{3} - 1$ $= -\frac{2}{3}$ <p>Length of BE = <math>4 - f(3)</math></p> $= 4 - \left( -\frac{2}{3} \right)$ $= 4 + \frac{2}{3}$ $= 4\frac{2}{3}$ <p><b>OR/OF</b></p> $\text{BE} = 2x - 2 - \frac{1}{x} + 1$ $= \frac{2x^2 - x - 1}{x}$ $(x = 3) \text{ BE} = \frac{2(3)^2 - (3) - 1}{3}$ $= \frac{18 - 4}{3}$ $= 4\frac{2}{3}$	$\checkmark \frac{1}{3} - 1 \text{ or } -\frac{2}{3}$ $\checkmark 4 - f(3)$ $\checkmark \text{answer/antwoord}$	(3)
5.5	$h(x) = f(x) + 3$ $h(x) = \frac{1}{x} + 2$	$\checkmark \text{answer/antwoord}$	(1) [13]

**QUESTION/VRAAG 6**

6.1	$\begin{aligned} d - 5 + d - 1 &= 0 \\ 2d &= 6 \\ d &= 3 \end{aligned}$	$\checkmark d - 5 + d - 1 = 0$ $\checkmark d = 3$ (2)
6.2	$\begin{aligned} y &= a(x - 2)(x + 2) \\ -9 &= a(1 - 2)(1 + 2) \\ -9 &= a(-1)(3) \\ -3a &= -9 \\ a &= 3 \\ f(x) &= 3(x^2 - 4) \\ &= 3x^2 - 12 \\ c &= -12 \end{aligned}$	$\checkmark y = a(x - 2)(x + 2)$ $\checkmark \text{subs } (1 ; -9)$ $\checkmark a = 3$ $\checkmark c = -12$ (4) [6]

**QUESTION/VRAAG 7**

7.1	$\frac{\text{R}5000}{9,518569 \text{ rands per dollar}} = \$525,29$ <p><b>OR/OF</b></p> $\text{R}5000 \times 0,105058 \text{ dollars per rand} = \$525,29$	$\checkmark \text{selects}/\text{kies}$ 9,515869 $\checkmark \text{answer}/\text{antwoord}$ (2) $\checkmark \text{selects}/\text{kies}$ 0,105058 $\checkmark \text{answer}/\text{antwoord}$ (2)
7.2.1	$\begin{aligned} A &= P(1 + i)^n \\ &= 5000(1 + 0,061)^3 \\ &= \text{R}5\,971,95 \end{aligned}$	$\checkmark \text{formula}/\text{formule}$ $\checkmark 5000(1 + 0,061)^3$ $\checkmark \text{R}5\,971,95$ (3)
7.2.2	<p>Let the amount that Zach invests each year be <math>x</math>/Laat die bedrag wat Zach elke jaar belê, <math>x</math> wees.</p> $\begin{aligned} x(1 + 0,09)^2 + x(1 + 0,09)^1 &= 5980 \\ x[1,09^2 + 1,09] &= 5980 \\ x &= \frac{5980}{1,09^2 + 1,09} \\ &= \text{R}2\,624,99 \end{aligned}$ <p><b>OR/OF</b></p> <p>Let the amount that Zach invests each year be <math>x</math>/Laat die bedrag wat Zach elke jaar belê, <math>x</math> wees.</p> $\begin{aligned} [x(1 + 0,09)^1 + x][1 + 0,09]^1 &= 5980 \\ x(2,09)(1,09) &= 5980 \\ x &= \frac{5980}{(2,09)(1,09)} \\ &= \text{R}2\,624,99 \end{aligned}$	$\checkmark x(1 + 0,09)^2$ $\checkmark x(1 + 0,09)^1$ $\checkmark x \text{ as common factor}/$ $\checkmark \text{as gemeenskaplike faktor}$ $\checkmark \text{answer}/\text{antwoord}$ (4) $\checkmark x(1 + 0,09)^1$ $\checkmark [x(1 + 0,09)^1 + x]$ $\checkmark x \text{ as common factor}/$ $\checkmark \text{as gemeenskaplike faktor}$ $\checkmark \text{answer}/\text{antwoord}$ (4) [9]

**QUESTION/VRAAG 8**

8.1.1	<p>Sample space/Streekproefruimte (64)</p>	<ul style="list-style-type: none"> <li>✓ diagram shape/ diagramvorm</li> <li>✓ 14 in correct position/ in korrekte posisie</li> <li>✓ 10 in correct position/ in korrekte posisie</li> <li>✓ 18 in correct position/ in korrekte posisie</li> <li>✓ 22 in correct position/ in korrekte posisie</li> </ul>
8.1.2 (a)	$P(\text{Soccer and Rugby}) = \frac{10}{64} = \frac{5}{32} = 0,15625 = 15,63\%$	<ul style="list-style-type: none"> <li>✓ answer (in any form)/ antwoord (in enige vorm)</li> </ul> (1)
8.1.2 (b)	$P(\text{Soccer or Rugby}) = \frac{14+10+18}{64} = \frac{42}{64} = \frac{21}{32} = 0,65625 = 65,63\%$ <b>OR / OF</b> $P(\text{Soccer or Rugby}) = 1 - \frac{22}{64} = \frac{21}{32}$	<ul style="list-style-type: none"> <li>✓ answer (in any form)/ antwoord (in enige vorm)</li> </ul> (1)
8.1.3	<p>No/Nee. Some boys play both soccer and rugby/Party seuns speel sokker en rugby.</p> <p><b>OR/OF</b> No/Nee <math>P(S \text{ and } R) \neq 0 / P(S \text{ en } R) \neq 0</math></p>	<ul style="list-style-type: none"> <li>✓ No/Nee</li> <li>✓ Reason/Rede</li> </ul> (2) <ul style="list-style-type: none"> <li>✓ No/Nee</li> <li>✓ Reason/Rede</li> </ul> (2)
8.2	$\begin{aligned} P(\text{more than 2 passengers per car}) / P(\text{meer as 2 passasiers per kar}) \\ &= \frac{5+1}{7+11+6+5+1} \\ &= \frac{6}{30} \\ &= \frac{1}{5} = 0,2 = 20\% \end{aligned}$	<ul style="list-style-type: none"> <li>✓ numerator/teller 6</li> <li>✓ denominator/noemer 30</li> <li>✓ answer/antwoord (accept/aanvaar)</li> <li><math>\frac{6}{30}</math> or <math>\frac{1}{5}</math> or/of 0,2 or/of 20%</li> </ul> (3)
8.3	$\begin{aligned} P(\text{not getting a six}) / P(\text{nie 'n ses kry nie}) \\ &= 1 - \left( \frac{10}{36} + \frac{1}{36} \right) \\ &= \frac{25}{36} \end{aligned}$	<ul style="list-style-type: none"> <li><math>\sqrt{\left( \frac{10}{36} + \frac{1}{36} \right)}</math></li> <li><math>\sqrt{1 - \left( \frac{10}{36} + \frac{1}{36} \right)}</math></li> <li><math>\sqrt{\frac{25}{36}}</math></li> </ul> (3)

[15]

**TOTAL/TOTAAL: 100**