



# basic education

Department:  
Basic Education  
**REPUBLIC OF SOUTH AFRICA**

## NATIONAL SENIOR CERTIFICATE

**GRADE12**

**INFORMATION TECHNOLOGY P1**

**NOVEMBER 2015**

**MEMORANDUM**

**MARKS: 150**

**This memorandum consists of 32 pages.**

**GENERAL INFORMATION:**

- These marking guidelines are to be used as the basis for the marking session. They were prepared for use by markers. All markers are required to attend a standardisation meeting to ensure that the guidelines are consistently interpreted and applied in the marking of candidates' work.
- Note that candidates who provide an alternate correct solution to that given as example of a solution in the marking guidelines will be given full credit for the relevant answer/solution, unless the specific instructions in the paper was not followed or the requirements of the question was not met.
- **Annexures A, B and C** (pages 3–9) include the marking grid for each question for using either one of the two programming languages.
- **Annexures D, E and F** (pages 10–19) contain examples of solutions for Java for Questions 1 to 3 in programming code.
- **Annexures G, H and I** (pages 20–31) contain examples of solutions for Delphi for Questions 1 to 3 in programming code.
- Copies of **Annexures A, B and C** (pages 3–9) should be made for each candidate and completed during the marking session.

**ANNEXURE A****SECTION A****QUESTION 1: MARKING GRID – GENERAL PROGRAMMING SKILLS**

| <b>CENTRE NUMBER:</b> |   | <b>EXAMINATION NUMBER:</b> |                          |
|-----------------------|---|----------------------------|--------------------------|
| <b>QUESTION</b>       | <b>DESCRIPTION</b>  | <b>MAX. MARKS</b>          | <b>CANDIDATE'S MARKS</b> |
|                       | <i>If a learner has a problem reading from a component, penalise only once for the error.</i>   |                            |                          |
| 1.1                   | <p><b>Button –[Question 1.1]</b></p> <p>Extract the start weight and height from the text box ✓ and convert both to real/double number ✓</p> <p>Calculate BMI using the correct formula ✓</p> <p>Display BMI in the output area ✓ formatted to 5 decimals ✓</p> <p>If ✓ statements with correct ranges making provision for all three categories ✓</p> <p>(&lt;18.5) ( &gt;=18.5 to &lt;=25) and (&gt;25)</p> <p>Correct messages displayed ✓</p> | 8                          |                          |
| 1.2                   | <p><b>Button –[Question 1.2]</b></p> <p>Create a counter and initialise the counter ✓</p> <p>Extract the goal weight from the text box and convert to number</p> <p>Check if start weight &gt; goal weight ✓</p> <p>Loop ✓</p> <p>    Increment counter ✓</p> <p>    Decrease weight by 0.375 ✓</p> <p>    Display counter and weight ✓ (no marks for formatting)</p> <p>else</p> <p>Display the message "Invalid value entered" ✓</p>            | 7                          |                          |

|     |  |    |  |
|-----|--|----|--|
| 1.3 | <p><b>Button –[Question 1.3]</b></p> <p>Extract the name from text box<br/>     Convert name to uppercase ✓<br/>     Initialise an empty string for membership code ✓<br/> <i>Remove vowels and spaces:</i><br/>         Loop through the name ✓<br/>         Check if not a vowel ✓ or space ✓<br/>         Join character to the membership code ✓<br/> <br/>         Check if female and join -F- to membership code ✓<br/>         Check if male and join -M- to membership code ✓<br/> <br/>         Generate random number in range 1 to 9 ✓ (1 and 9 included)<br/>         Get the number of characters in membership code ✓<br/>         Calculate last two digits ✓ (the random number+10+length)<br/>         Join to membership code ✓ (the random number + last 2 digits)<br/>         Check if allergy check box is selected then join the * to the membership code ✓<br/>         Display the membership code in the text box ✓</p> | 14 |  |
| 1.4 | <p><b>Button – [Question 1.4]</b></p> <p>Randomly select a number in the correct range ✓ (must include 20 members)<br/>     Check if the selected entry in the array is a male ✓ or female ✓<br/> <br/>     Use a conditional loop ✓<br/>         Randomly select the second number ✓ in the correct range<br/>         Validate second number (if) ✓ to ensure the gender entry in the array is not the same as the first – use correct variables✓ (as <i>loop condition</i>)<br/> <br/> <i>Display in output area:</i><br/>         the first member ✓ and the second member selected ✓</p>  | 9  |  |

|     |  |               |           |
|-----|--|---------------|-----------|
| 1.5 | <p><b>Button – [Question 1.5]</b></p> <p><i>Sort the array alphabetically:</i></p> <p>Use two loops ✓ with valid counter values ✓</p> <p>Compare membership codes ✓ ( correct indexes) ✓</p> <p>Swap the two values ✓✓✓ (-1 for each error to a maximum of 3)</p> <p><i>Display members with allergies:</i></p> <p>Use a loop ✓</p> <p>Check if member has allergy ✓</p> <p>Display the membership number✓</p> <p><i>Display members without allergies:</i></p> <p>Use a loop ✓</p> <p>Check if member does not have an allergy ✓</p> <p>Display the membership number</p> | 12            |           |
|     |  | <b>TOTAL:</b> | <b>50</b> |

**ANNEXURE B****SECTION B****QUESTION 2: MARKING GRID– OBJECT-ORIENTED PROGRAMMING**

| CENTRE NUMBER: |  | EXAMINATION NUMBER: |                   |
|----------------|--|---------------------|-------------------|
| QUESTION       | DESCRIPTION  | MAX. MARKS          | CANDIDATE'S MARKS |
| 2.1.1          | <p><b>determineExpDate method:</b><br/>           Extract the <b>year value</b> ✓ from registration date parameter✓ and increment with a value of two ✓<br/>           Correctly combine with rest of date ✓</p>   | 4                   |                   |
| 2.1.2          | <p><b>Constructor:</b><br/>           Definition with three correct parameters and data types ✓<br/>           Assign parameter values to the name ✓ and registration code attributes ✓<br/>           Use the <b>determineExpDate</b> method with argument to set the expiry date attribute ✓<br/>           Set the <b>sessionsCompleted</b> attribute to 0 ✓</p>  | 5                   |                   |
| 2.1.3          | <p><b>setSessionsCompleted</b><br/>           Method definition with parameter ✓<br/>           Assign the parameter value to the <b>sessionsCompleted</b> method✓</p>   | 2                   |                   |
| 2.1.4          | <p><b>increaseSessionsCompleted method:</b><br/>           Method definition✓<br/>           Increase sessionsCompleted attribute by 1✓</p>  | 2                   |                   |
| 2.1.5          | <p><b>evaluateProgress method:</b><br/>           Method definition and correct parameter ✓<br/> <i>Calculate the percentage</i><br/>           Use the attribute sessions completed value ✓<br/>           Use of parameter value (total session) ✓<br/>           Division ✓ (<i>Penalise integer division</i>)<br/> <br/>           Check if percentage greater than 75 ✓<br/>           Return the message that the trainee qualifies as an instructor ✓<br/>           Else<br/>           Return the percentage completed with % sign at the end ✓ formatted to two decimal places ✓</p> | 8                   |                   |
| 2.1.6          | <p><b>toString method:</b><br/>           Method definition ✓<br/>           Format on three different lines ✓ correct attributes ✓ (-1 for each incorrect attribute)(ignore [])<br/>           Correct return statement ✓</p>   | 4                   |                   |

|       |  |    |  |
|-------|--|----|--|
| 2.2.1 | <b>Button – [Question2.2.1]</b><br><br>Instantiate a new trainee object ✓ with the correct order and data types of arguments ✓<br>Display the object using the <b>toString</b> method ✓  | 3  |  |
| 2.2.2 | <b>Button – [Question2.2.2]</b><br><br>Test if text file exists ✓ using if/try...except/try...catch<br><br><i>If the text file does not exist:</i><br>Display message ✓ and exit/close the program ✓ (or if.. then... else is constructed in such a way as to leave the procedure)<br><br><i>If the text file exists:</i><br>Enable buttons btn223 and btn224 ✓<br>Display the name of trainee in output area ✓<br>Open the text file to read from file: ✓✓<br>Delphi: AssignFile, RESET<br>Java: Create object to read from file<br>Call <b>setSessionsCompleted</b> method with 0 as a parameter ✓<br>Loop through file ✓<br>Read one line from text file ✓<br>Splitting the line to extract the trainee code ✓<br>(or test if the line contains the trainee code)<br>Test if code matches the code of trainee selected✓<br>Extract date ✓<br>If session has been completed ✓<br>Call the <b>increaseSessions</b> method✓<br>Display the date in output area✓<br><br>Display the object using the <b>toString</b> method<br><br><b>NOTE:</b><br><b>There are 2 ways to determine the sessions completed value for 2 marks.</b><br>Method 1: Local variable used to count needs 3 steps: -<br>• set variable to 0<br>• increment the variable inside the loop<br>• call <b>setSessionsCompleted</b> method to set the value.<br><br>Method 2: Using attributes of the object needs 2 steps:-<br>• Use the <b>setSessionsCompleted</b> to set to 0<br>• Call the <b>increaseSessions</b> inside the loop to increment the attribute value. | 16 |  |

|       |  |  |               |           |
|-------|--|--|---------------|-----------|
| 2.2.3 | <p><b>Button – [Question2.2.3]</b></p> <p>Get the date from the provided textbox ✓ (YYYY/MM/DD)<br/> Determine if check box is selected ✓<br/> <i>Compile a string:</i><br/> Registration code; date and "Completed" ✓<br/> Call the method to increase sessions completed✓<br/> Else<br/> Registration code; date and "Not completed" ✓</p> <p><i>Write compiled string to text file:</i><br/> Open the text file to ADD to file:✓<br/> <i>Delphi:</i> APPEND<br/> <i>Java:</i> Create FileWriter object to append to file<br/> Write the string to the file writeln(Delphi)/println(Java)✓<br/> Close the file ✓<br/> Display message that data was saved to file ✓</p> <p><i>toString</i> method to display information ✓</p> |  | 10            |           |
| 2.2.4 | <p><b>Button – [Question 2.2.4]</b></p> <p>Extract the number of total sessions required from the textbox provided and convert to number ✓<br/> Use of <b>evaluateProgress</b> method with argument ✓<br/> Display the output of the progress✓</p>   |  | 3             |           |
|       |  |  | <b>TOTAL:</b> | <b>57</b> |

**ANNEXURE C****SECTION C****QUESTION 3: MARKING GRID–PROBLEM-SOLVING PROGRAMMING**

| <b>CENTRE NUMBER:</b>                          |   | <b>EXAMINATION NUMBER:</b> |                          |
|--|---|----------------------------|--------------------------|
| <b>QUESTION</b>                                | <b>DESCRIPTION</b>  | <b>MAX. MARKS</b>          | <b>CANDIDATE'S MARKS</b> |
| <b>Components</b>                              | <p><b>Suitable components:</b></p> <ul style="list-style-type: none"> <li>• Processing: at least 2 buttons; ✓</li> <li>• Output: richedit/stringgrid/textarea ✓</li> </ul>  | <b>2</b>                   |                          |
| <b>Program techniques</b>                      | <p><b>Modular design:</b> ✓</p> <ul style="list-style-type: none"> <li>• Define and create at least one method/function/procedure and use the method/function/procedure correctly</li> </ul> <p><b>Programming techniques:</b> (Any ONE of) ✓</p> <ul style="list-style-type: none"> <li>• Use of proper indentation</li> <li>• Use of descriptive variable names</li> <li>• Make use of inline comments</li> <li>• Use appropriate data structures</li> </ul>                      | <b>2</b>                   |                          |
| <b>Display arrays with headings in columns</b> | <p>Display column headings (Day 1 to Day 4) ✓<br/>     Display row headings (workshop topics) ✓<br/>     Outer loop (Number of workshops) ✓ with counter ✓<br/>     Inner loop (Number of days) ✓<br/>     Display 2d array values ✓<br/>     Correct formatting of columns ✓<br/>     Each workshop on new line ✓</p> <p><b>NOTE:</b><br/>     Any other method that generates the correct output without using a loop.</p>  | <b>8</b>                   |                          |
| <b>Make a Booking</b>                          | <p>Get row index (<i>workshop</i>) ✓✓ and column index (<i>day</i>) ✓✓ from input<br/>     Check in 2D array at selected index ✓ for available space (&lt;20) ✓</p> <p><i>If space available:</i><br/>     Increment value in 2D array by one ✓<br/>     Call display method/button/write code to display ✓<br/>     Show message ✓ that booking is made including day and workshop ✓</p> <p><i>No space available:</i><br/>     Display message that workshop is fully booked✓</p> | <b>11</b>                  |                          |

|                            |   |           |  |
|----------------------------|---|-----------|--|
| <b>Full cases of water</b> | Initialise bottles of water for each day to zero<br>Initialise total bottles of water to zero<br>Correct loops(for row and column) ✓<br><i>Outer loop:4, Inner loop:6</i><br>Increment day totals with array value ✓<br>Increment total value ✓<br>Display the day and totals ✓ in columns ✓<br>Display the total number of water bottles✓<br>Calculate number of cases of water by dividing by 24 ✓<br>Correctly rounded up ✓<br>Display the number of cases ✓   | <b>10</b> |  |
| <b>Cancel a workshop</b>   | Get index of workshop to be cancelled, from input ✓<br>Loop ✓ using a variable for upper bound ✓<br>Remove workshop from workshop array ✓✓<br>Remove applicable values from 2D-array ✓✓<br>Decrease the counter for maximum number of workshops ✓<br><br><b>NOTE:</b><br>Can also be done using nested loops.<br><br><b>NOTE:</b><br>If a flag is used:<br><ul style="list-style-type: none"> <li>• Flagging ✓✓ the correct row ✓</li> <li>• Provide code in the display to accommodate the flag ✓✓</li> <li>• Provide code in the water bottle count to accommodate flag ✓✓</li> </ul><br>Remove the workshop from the combobox ✓<br><br>Display the updated array ✓<br><br><b>NOTE:</b><br>If original display is called, it must accommodate the changed array/flagging. | <b>10</b> |  |
|                            | <b>TOTAL:</b>   | <b>43</b> |  |

**SUMMARY OF CANDIDATE'S MARKS:**

|                          | <b>SECTION A</b>  | <b>SECTION B</b>  | <b>SECTION C</b>  |                    |
|--------------------------|-------------------|-------------------|-------------------|--------------------|
|                          | <b>QUESTION 1</b> | <b>QUESTION 2</b> | <b>QUESTION 3</b> | <b>GRAND TOTAL</b> |
| <b>MAX. MARKS</b>        | <b>50</b>         | <b>57</b>         | <b>43</b>         | <b>150</b>         |
| <b>CANDIDATE'S MARKS</b> |                   |                   |                   |                    |

**ANNEXURE D: SOLUTION FOR QUESTION 1: JAVA**

```
=====
Supplied code
=====
public class Question1_Memo extends javax.swing.JFrame {

String[] arrMemberCodes = new String[20];

public void fillMemberCodes() {
arrMemberCodes[0] = "PRTHNMM-M-421";
arrMemberCodes[1] = "LYYHNBB-F-623*";
arrMemberCodes[2] = "DFGQWJJK-M-220*";
arrMemberCodes[3] = "NBVGTYY-F-926";
arrMemberCodes[4] = "NBBGTRFSSD-F-322*";
arrMemberCodes[5] = "NJKYTRRTG-M-928";
arrMemberCodes[6] = "JBHGTYGFTR-F-121";
arrMemberCodes[7] = "HGTYRJJ-F-522*";
arrMemberCodes[8] = "KJHYTGFDRWQ-M-830";
arrMemberCodes[9] = "NHYTRFDDD-M-221*";
arrMemberCodes[10] = "NBVGTYYGHG-M-424";
arrMemberCodes[11] = "CVBGFRXXS-M-726";
arrMemberCodes[12] = "PLIUYHGTRF-M-323";
arrMemberCodes[13] = "QWDFGENBG-M-423*";
arrMemberCodes[14] = "RBRTHNDRKS-F-525";
arrMemberCodes[15] = "MKJHTGFDD-M-625";
arrMemberCodes[16] = "SDWRQWDDG-F-726";
arrMemberCodes[17] = "HNGBBVFFDCCS-F-931";
arrMemberCodes[18] = "NMBGHFDRLP-F-121";
arrMemberCodes[19] = "BVCZZXGFDJK-M-122";
}

public Question1_Memo() {
initComponents();
this.setLocationRelativeTo(this);
fillMemberCodes();

}=====
// Question 1.1
=====
private void btnQues1_1ActionPerformed(java.awt.event.ActionEvent evt)
{
double startWeight = Double.parseDouble(txwfWeight.getText());
double height = Double.parseDouble(txhfHeight.getText());
double bmi = startWeight / (height * height);
String sBmi = String.format("%8.5f",bmi);
txaOutput_1_1.setText("BMI = " + sBmi + "\n");
if (bmi < 18.5) {
    txaOutput_1_1.append("Underweight");
} else if (bmi <= 25) {
    txaOutput_1_1.append("Normal weight");
} else {
    txaOutput_1_1.append("Overweight");
}
}
}
```

```
=====
// Question 1.2
=====
private void btnQues1_2ActionPerformed(java.awt.event.ActionEvent evt)
{
    int numDays = 0;
    double startWeight = Double.parseDouble(txrWeight.getText());
    double goalWeight = Double.parseDouble(txrGoalWeight.getText());
    if (startWeight > goalWeight) {
        txrOutput_1_2.setText("Day\tWeight\n");
        while (goalWeight < startWeight) {
            numDays++;
            startWeight -= 0.375;
            txrOutput_1_2.append(numDays + "\t" +
                String.format("%6.3f", startWeight) + "\n");
        }
    } else {
        txrOutput_1_2.setText("Invalid value entered");
    }
}
=====

// Question 1.3
=====
private void btnQues1_3ActionPerformed(java.awt.event.ActionEvent evt)
{
    String name = txrName.getText().toUpperCase();
    //OR membershipCode = membershipCode.replaceAll("[AEIOU ]", " ");

    String membershipCode = "";
    for (int i = 0; i < name.length(); i++) {
        if (name.charAt(i) != 'A' && name.charAt(i) != 'E' &&
            name.charAt(i) != 'I' &&
            name.charAt(i) != 'O' && name.charAt(i) != 'U' &&
            name.charAt(i) != ' ') {
            membershipCode += name.charAt(i);
        }
    }
    int numChar = membershipCode.length();

    if (rbnFemale.isSelected()) {
        membershipCode += "-F-";
    }
    if (rbnMale.isSelected()) {
        membershipCode += "-M-";
    }

    int randNum = (int)(Math.random() * 9) + 1;
    membershipCode = membershipCode + randNum +
        (randNum + 10 + numChar);

    if (chbAllergy.isSelected()) {
        membershipCode += '*';
    }

    txrMembershipNumber.setText(membershipCode);
}
```

```
=====
// Question 1.4
=====
private void btnQues1_4ActionPerformed(java.awt.event.ActionEvent evt)
{
int randomNumber1 = (int) (Math.random() * 20);
    String gender = "-M-";
if (arrMemberCodes[randomNumber1].contains("-F-")) {
gender = "-F-";
}

int randomNumber2;

do {
    randomNumber2 = (int) (Math.random() * 20);
} while (arrMemberCodes[randomNumber2].contains(gender));

txaOutput_1_4.setText("Premium members\n");
txaOutput_1_4.append("\n" + arrMemberCodes[randomNumber1]);
txaOutput_1_4.append("\n" + arrMemberCodes[randomNumber2]);
}
=====

// Question 1.5
=====
private void btnQues1_5ActionPerformed(java.awt.event.ActionEvent evt)
{

for (int i = 0; i < 19; i++) {
for (int j = i + 1; j < 20; j++) {

if ((arrMemberCodes[i]).compareTo(arrMemberCodes[j]) > 0) {
            String temp = arrMemberCodes[i];
arrMemberCodes[i] = arrMemberCodes[j];
arrMemberCodes[j] = temp;
        }
    }
}

for (int i = 0; i < 20; i++) {
if (arrMemberCodes[i].contains("*")) {
            txaOutput_1_5.append(arrMemberCodes[i] + "\n");
        }
}
for (int i = 0; i < 20; i++) {

if (!arrMemberCodes[i].contains("*")) {
            txaOutput_1_5.append(arrMemberCodes[i] + "\n");
        }
}
}
```

**ANNEXURE E: SOLUTION FOR QUESTION 2: JAVA**

=====

Supplied code

=====

```
=====
public class Student {
    private String name;
    private String regCode;
    private String expiryDate;
    private int sessionsCompleted;

    =====
    // Question 2.1.1
    =====
    private String determineExpDate(String regDate) {
        int year = Integer.parseInt(regDate.substring(0, 4));
        year = year + 2;

        String expDate = year + regDate.substring(4);
        return expDate;
    }
    =====
    // Question 2.1.2
    =====
    public Student(String name, String regCode, String regDate) {
        this.name = name;
        this.regCode = regCode;
        expiryDate = determineExpDate(regDate);
        sessionsCompleted = 0;
    }
    =====
    // Question 2.1.3
    =====
    public void setSessionsCompleted(int counter) {
        sessionsCompleted = counter;
    }
    =====
    // Question 2.1.4
    =====
    public void increaseSessionsCompleted() {
        sessionsCompleted++;
    }
    =====
    // Question 2.1.5
    =====
    public String evaluateProgress(int total) {
        double percent = (sessionsCompleted / (double) total) * 100;
        if (percent > 75) {
            return (name + " qualifies as an instructor");
        } else {
            return ("Percentage completed: " + String.format("%-2.2f",
                percent) + "%");
        }
    }
}
```

```
=====
// Question 2.1.6
=====
public String toString() {
    return (name + " [" + regCode + "]\n" + "Expiry Date: " + expiryDate
        + "\nCompleted sessions: " + sessionsCompleted);
}

// Supplied code

public String getName() {
    return name;
}

public String getCode() {
    return regCode;
}

public String getExpDate() {
    return expiryDate;
}

public int getSessionComplted() {
    return sessionsCompleted;
}
```

**GUI CLASS: QUESTION2 SOLUTION**

```
=====
Supplied code
=====
Student objStudent;

// Question 2.2.1
=====
private void btnQuestion_2_2_1ActionPerformed(java.awt.event.ActionEvent evt)
{
objStudent = new Student(txfStudent.getText(), txfRegCode.getText(),
    txfRegDate.getText());
txaOutput.setText(objStudent.toString());
}

// Question 2.2.2
=====
private void btnQuestion_2_2_2ActionPerformed(java.awt.event.ActionEvent evt) {
try {
txaOutput.setText("Name of student: " + objStudent.getName() +
    "\n");
txaOutput.append(("Dates of completed sessions:"));

Scanner inFile = new Scanner(new FileReader("DataQ2.txt"));
objStudent.setSessionsCompleted(0);
while (inFile.hasNext()) {
    String line = inFile.nextLine();
    Scanner scLine = new Scanner(line).useDelimiter("#");
    String codeDate = scLine.next();
    String code = codeDate.substring(0, 6);
    if (code.equals(objStudent.getCode())) {
        String date = codeDate.substring(codeDate.lastIndexOf(" ") );
        String status = scLine.next();
        if (status.equalsIgnoreCase("Completed")) {
            objStudent.increaseSessionsCompleted();
            txaOutput.append("\n" + date);
        }
    }
}
txaOutput.append("\n\n" + objStudent.toString());
inFile.close();
} catch (Exception e) {
JOptionPane.showMessageDialog(null, "File does not exist");
System.exit(0);
}
btnQ223.setEnabled(true);
btnQ224.setEnabled(true);
}
```

```
=====
// Question 2.2.3
=====
private void btnQuestion_2_2_3ActionPerformed(java.awt.event.ActionEvent evt)
{
    String completed;
    if (chbCompleted.isSelected()) {
        completed = "Completed";
        objStudent.increaseSessionsCompleted();
    } else {
        completed = "Not completed";
    }
    String currentDate = txfTrainingDate.getText();
    String line = objStudent.getCode() + " trained on " + currentDate + "#" +
                  completed;
    try {
        PrintWriter outFile = new PrintWriter(new FileWriter("DataQ2.txt",
            true));
        outFile.println(line);
        outFile.close();
        JOptionPane.showMessageDialog(null, "Information written to text
            file");
    } catch (Exception e) {
    }

    txaOutput.append("\n\n" + objStudent.toString());
}
=====
// Question 2.2.4
=====
private void
btnQuestion2_2_4ActionPerformed(java.awt.event.ActionEvent evt) {
    int totalSessions = Integer.parseInt(txfTotalSessions.getText());
    lblProgress.setText(objStudent.evaluateProgress(totalSessions));
}
```

**ANNEXURE F: SOLUTION FOR QUESTION 3: JAVA**

=====

Supplied code

=====

```
=====
public class Question3_Memo extends javax.swing.JFrame {

String[] arrWorkshops = {"Aerobics", "Bodybuilding", "Cardio",
    "Dance", "Energy Supplements", "First Aid"};
int[][] arrBookings = {{11, 14, 5, 14}, {15, 5, 20, 4},
    {10, 14, 16, 20}, {20, 20, 20, 20}, {16, 7, 10, 7},
    {10, 18, 13, 11}};

// Declaration of global variable
=====
int numWorkshops = 6;

// Display array with headings - call method to display
=====
private void btnDisplayActionPerformed(java.awt.event.ActionEvent evt) {
    display();
}

// Make a booking
=====
private void btnBookingActionPerformed(java.awt.event.ActionEvent evt) {
    String workshop = cmbWorkshops.getSelectedItem().toString();
    int day = lstDays.getSelectedIndex() + 1;
    String message = "";
    for (int r = 0; r < numWorkshops; r++) {
        if (workshop.equals(arrWorkshops[r])) {
            for (int c = 0; c < 4; c++) {
                if (day == (c + 1)) {
                    if (arrBookings[r][c] < 20) {
                        arrBookings[r][c] = arrBookings[r][c] + 1;
                        display();
                        JOptionPane.showMessageDialog(null, workshop + " on
                            Day " + day + " is successfully booked");
                    }
                }
            }
        }
    }
}
```

```
=====
// Calculate cases of bottled water
=====
private void btnWaterActionPerformed(java.awt.event.ActionEvent evt) {
int bottles[] = new int[4];
int totalBottles = 0;
int cases = 0;
for (int c = 0; c < 4; c++) {
for (int r = 0; r < numWorkshops; r++) {
bottles[c] = bottles[c] + arrBookings[r][c];
}
totalBottles = totalBottles + bottles[c];
}
txaOutput.setText("\nBottles of water needed:\n");
for (int r = 0; r < 4; r++) {
txaOutput.append(String.format("Day %-25s%-10s\n", (r + 1),
bottles[r]));
}
double ans = totalBottles % 24;
if (ans == 0) {
cases = totalBottles / 24;
} else {
cases = (totalBottles / 24) + 1;
}
txaOutput.append(String.format("\n%-28s%-10s", "Total: ",
totalBottles));
txaOutput.append(String.format("\n%-28s%-10s", "Cases of bottled
water needed: ", cases));
}
=====
// Cancel a workshop
=====
private void btnCancelActionPerformed(java.awt.event.ActionEvent evt) {
int workshopNum = cmbWorkshops.getSelectedIndex();
cmbWorkshops.removeItemAt(workshopNum);
for (int i = workshopNum; i < numWorkshops - 1; i++) {
arrWorkshops[i] = arrWorkshops[i + 1];
}
arrWorkshops[5] = "";
for (int r = workshopNum; r < numWorkshops - 1; r++) {
for (int c = 0; c < 4; c++) {
arrBookings[r][c] = arrBookings[r + 1][c];
}
}
numWorkshops--;
display();
}
```

```
=====
// Method to display 2-d array with headings
=====
public void display() {
txaOutput.setText(String.format("%-25s", "Workshop"));
for (int i = 1; i <= 4; i++) {
txaOutput.append(String.format("%-10s", "Day " + i));
}
txaOutput.append("\n\n");
for (int r = 0; r < numWorkshops; r++) {
txaOutput.append(String.format("%-25s", arrWorkshops[r]));
for (int c = 0; c < 4; c++) {
txaOutput.append(String.format("%-10s",
arrBookings[r][c]));
}
txaOutput.append("\n");
}
txaOutput.append("\n");
}
```

**ANNEXURE G: SOLUTION FOR QUESTION 1: DELPHI**

```
unit Question1U_Memo;

interface
uses
  Windows, Messages, SysUtils, Variants, Classes, Graphics, Controls,
  Forms, Dialogs, StdCtrls, Buttons, ComCtrls, ExtCtrls;

type
  TfrmQuestionONE = class(TForm)
    bmbClose: TBitBtn;
    lblFormHeading: TLabel;
    grbQuest11: TGroupBox;
    grbQuest12: TGroupBox;
    grbQuest13: TGroupBox;
    grbQuest14: TGroupBox;
    lblHWeight: TLabel;
    lblHeight: TLabel;
    btnQuestion1_1: TButton;
    redQ11: TRichEdit;
    edtWeight: TEdit;
    edtHeight: TEdit;
    lblHWeight2: TLabel;
    edtGoalWeight: TEdit;
    btnQuestion1_2: TButton;
    redQ12: TRichEdit;
    lblHName: TLabel;
    edtName: TEdit;
    rgpGender: TRadioGroup;
    grbAllergy: TGroupBox;
    chkAllergy: TCheckBox;
    lblHCode: TLabel;
    btnQuestion1_3: TButton;
    edtMembershipCode: TEdit;
    btnQuestion1_4: TButton;
    redQ14: TRichEdit;
    grbQuest15: TGroupBox;
    btnQuestion1_5: TButton;
    redQ15: TRichEdit;
  procedure FormCreate(Sender: TObject);
  procedure btnQuestion1_1Click(Sender: TObject);
  procedure btnQuestion1_2Click(Sender: TObject);
  procedure btnQuestion1_3Click(Sender: TObject);
  procedure btnQuestion1_4Click(Sender: TObject);
  procedure btnQuestion1_5Click(Sender: TObject);
  procedure bmbCloseClick(Sender: TObject);
  private
    { Private declarations }
  public
    { Public declarations }
  end;
```

```
var
frmQuestionONE: TfrmQuestionONE;

implementation

{$R *.dfm}
{$R+}

var
arrMemberCodes: array [1 .. 20] of String;
// =====
// Question 1.1
// =====
procedure TfrmQuestionONE.bmbCloseClick(Sender: TObject);
begin
Application.Terminate;
end;

procedure TfrmQuestionONE.btnExit1Click(Sender: TObject);
var
rWeight, rHeight, rBMI: Real;
begin
rWeight := StrToFloat(edtWeight.Text);
rHeight := StrToFloat(edtHeight.Text);
rBMI := rWeight / sqr(rHeight);
redQ11.Clear;
redQ11.Lines.Add('BMI = ' + FloatToStr(rBMI));
if (rBMI < 18.5) then
redQ11.Lines.Add('Underweight')
else if (rBMI <= 25) then
redQ11.Lines.Add('Normal weight')
else
redQ11.Lines.Add('Overweight');
end;

// =====
// Question 1.2
// =====
procedure TfrmQuestionONE.btnExit2Click(Sender: TObject);
var
rWeight, rGoalWeight: Real;
iNumdays: Integer;
begin
redQ12.Clear;
rWeight := StrToFloat(edtWeight.Text);
rGoalWeight := StrToFloat(edtGoalWeight.Text);
iNumdays := 0;
if (rWeight > rGoalWeight) then
begin
redQ12.Lines.Add('Day' + #9 + 'Weight');
while (rWeight > rGoalWeight) do
begin
inc(iNumdays, 1);
rWeight := rWeight - 0.375;
redQ12.Lines.Add(IntToStr(iNumdays) + #9 + FloatToStrF(rWeight,
ffFixed, 8, 3));
end;
end;
```

```

end; // while
end // if
else
redQ12.Lines.Add('Invalid value entered');
end;

// =====
// Question 1.3
// =====
procedure TfrmQuestionONE.btnQuestion1_3Click(Sender: TObject);
var
sMembershipCode, sName: String;
A, iRandom, iNumLetters, iSum: Integer;
sCheckNum : String;

begin
sName := Uppercase(edtName.Text);
sMembershipCode := '';
For A := 1 to Length(sName) do
if NOT(sName[A] IN ['A', 'E', 'I', 'O', 'U', #32]) then
sMembershipCode := sMembershipCode + sName[A];
iNumLetters := length(sMembershipCode);
case rgpGender.ItemIndex of
  0: sMembershipCode := sMembershipCode + '-F-';
  1: sMembershipCode := sMembershipCode + '-M-';
end;

iRandom := Random(9) + 1;
iSum := iRandom + 10 + iNumLetters;
sCheckNum := IntToStr(iRandom) + IntToStr(iSum);
sMembershipCode := sMembershipCode + sCheckNum;
if chkAllergy.Checked then
sMembershipCode := sMembershipCode + '*';

edtMembershipCode.Text := sMembershipCode;
end;
// =====
// Question 1.4
// =====
procedure TfrmQuestionONE.btnQuestion1_4Click(Sender: TObject);
var
iFirst, iSecond : Integer;
sSeekGender      : String;
begin
iFirst := Random(20) + 1;
if pos('-M-', arrMemberCodes[iFirst]) = 0 then
sSeekGender := '-M-'
else
sSeekGender := '-F-';
repeat
iSecond := Random(20) + 1;
until (pos(sSeekGender, arrMemberCodes[iSecond]) > 0);
  redQ14.Clear;
redQ14.Lines.Add('Premium members' + #13);
redQ14.Lines.Add(arrMemberCodes[iFirst]);
redQ14.Lines.Add(arrMemberCodes[iSecond]);
end;

```

```
// =====
// Question 1.5
// =====
procedure TfrmVraagEen.btnQuestion1_5Click(Sender: TObject);
var
i, j: Integer;
temp: String;
begin
for i := 1 to 19 do
for j := i + 1 to 20 do
begin
if arrMemberCodes[i] > arrMemberCodes[j] then
begin
temp := arrMemberCodes[i];
arrMemberCodes[i] := arrMemberCodes[j];
arrMemberCodes[j] := temp;
end;
end;
for i := 1 to 20 do
if pos('*', arrMemberCodes[i]) > 0
then redQ15.Lines.Add(arrMemberCodes[i]);

for i := 1 to 20 do
if pos('*', arrMemberCodes[i]) = 0
then redQ15.Lines.Add(arrMemberCodes[i]);
end;
// =====
procedure TfrmQuestionONE.FormCreate(Sender: TObject);
begin
arrMemberCodes[1] := 'PRTHNMM-M-421';
arrMemberCodes[2] := 'LYYHNBB-F-623*';
arrMemberCodes[3] := 'DFGQWJJK-M-220*';
arrMemberCodes[4] := 'NBVGTYY-F-926';
arrMemberCodes[5] := 'N BGTRFSSD-F-322*';
arrMemberCodes[6] := 'NJKYTRRTG-M-928';
arrMemberCodes[7] := 'JBHGTYGFTTR-F-121';
arrMemberCodes[8] := 'HGTYRJJ-F-522*';
arrMemberCodes[9] := 'KJHYTGFDDRWQ-M-830';
arrMemberCodes[10] := 'NHYTRFDDD-M-221*';
arrMemberCodes[11] := 'NBVGTYYGHG-M-424';
arrMemberCodes[12] := 'CVBGFRXXS-M-726';
arrMemberCodes[13] := 'PLIUYHGTRF-M-323';
arrMemberCodes[14] := 'QWDFGENBG-M-423*';
arrMemberCodes[15] := 'RBRTHNDRKS-F-525';
arrMemberCodes[16] := 'MKJHTGFDD-M-625';
arrMemberCodes[17] := 'SDWRQWDDG-F-726';
arrMemberCodes[18] := 'HNGBBVFFDCCS-F-931';
arrMemberCodes[19] := 'NMBGHFDRLP-F-121';
arrMemberCodes[20] := 'BVCZZXGFDJK-M-122';
end;
end.
```

**ANNEXURE H: SOLUTION FOR QUESTION 2: DELPHI****OBJECT CLASS: STUDENT**

```

unit StudentU;

interface

type
  TStudent = class(TObject)
private
  fName           : String;
  fRegCode        : String;
  fExpiryDate     : String;
  fSessionsCompleted : Integer;

function determineExpDate(sDate : String) : String;

public
constructorCreate(Name, RegCode, RegDate: String);
procedure setSessionsCompleted(iSessions : Integer);
procedure increaseSessionsCompleted;
function evaluateProgress(iMax : Integer) : String;
function toString : String;
function GetName : String;
function GetCode : String;
function GetExpDate: String;
function GetSessionsCompleted: Integer;
end;

implementation

uses SysUtils, Math;
{ TStudent }

//=====
//Question 2.1.1
//=====
function TStudent.determineExpDate(sDate: String): String;
var
iYear :Integer;
begin
iYear := StrToInt(copy(sDate,1,4)) + 2;
result := IntToStr(iYear) + copy(sdate,5);
end;
//=====
//Question 2.1.2
//=====
constructor TStudent.Create(Name, RegCode, RegDate: String);
begin
fName      := Name;
fRegCode   := RegCode;
fExpiryDate := determineExpDate(RegDate);
fSessionsCompleted := 0;
end;

```

```
//=====
//Question 2.1.3
//=====
procedure TStudent.setSessionsCompleted(iSessions : Integer);
begin
fSessionsCompleted := iSessions;
end;

//=====
//Question 2.1.4
//=====
procedure TStudent.increaseSessionsCompleted;
begin
Inc(fSessionsCompleted, 1);
end;

//=====
//Question 2.1.5
//=====
function TStudent.evaluateProgress(iMax: Integer): String;
var
rProgress :Real;
begin
rProgress := (fSessionsCompleted / iMax) * 100;
if rProgress >= 75 then
Result := fName + ' qualifies as an instructor'
else
Result := 'Percentage completed: ' +
          FloatToStrf(rProgress, fffFixed, 2, 2) + '%';
end;
//=====
//Question 2.1.6
//=====
function TStudent.toString: String;
begin
Result := fName + ' [' + fRegCode + '] ' + #13 +
          'Expiry date: ' + fExpiryDate + #13 +
          'Completed sessions: ' + IntToStr(fSessionsCompleted);
end;

===== Code supplied =====
function TStudent.GetName: String;
begin
Result := fName;
end;

function TStudent.GetCode: String;
begin
Result := fRegCode;
end;

function TStudent.GetExpDate: String;
begin
Result := fExpiryDate;
end;

function TStudent.GetSessionsCompleted: Integer;
begin
```

```

Result := fSessionsCompleted;
end;

//=====
end.

```

## **MAIN FORM UNIT: QUESTION2\_U.PAS**

```

unit Question2U_Memo;

interface

uses
  Windows, Messages, SysUtils, Variants, Classes, Graphics, Controls, Forms,
  Dialogs, StdCtrls, Buttons, ComCtrls, ExtCtrls, StudentU;

type
  TfrmQuestionTWO = class(TForm)
  bmbClose: TBitBtn;
  lblFormHeading: TLabel;
  redQ2: TRichEdit;
  pnlButtons: TPanel;
  btnQuestion222: TButton;
  btnQuestion221: TButton;
  pnlQ223: TPanel;
  btnQuestion223: TButton;
  Label1: TLabel;
  edtTotalSessions: TEdit;
  btnQuestion224: TButton;
  pnlProgress: TPanel;
  lblProgress: TLabel;
  lblCompleted: TLabel;
  chkCompleted: TCheckBox;
  lblTrainingDate: TLabel;
  edtTrainingDate: TEdit;
  lblDate: TLabel;
  lblRegCode: TLabel;
  edtRegCode: TEdit;
  edtDate: TEdit;
  edtStudent: TEdit;
  procedure FormCreate(Sender: TObject);
  procedure btnQuestion221Click(Sender: TObject);
  procedure btnQuestion222Click(Sender: TObject);
  procedure btnQuestion223Click(Sender: TObject);
  procedure btnQuestion224Click(Sender: TObject);

private
  { Private declarations }
public
  { Public declarations }
end;

var
  frmQuestionTWO: TfrmQuestionTWO;

implementation

var
  objStudent: TStudent;
  {$R *.dfm}
  {$R+}

```

```
//=====
//Question 2.2.1
//=====
procedure TfrmQuestionTWO.btnQuestion221Click(Sender: TObject);

begin
objStudent := TStudent.Create(edtStudent.text, edtRegCode.text,
                           edtDate.text);

redQ2.Lines.Clear;
redQ2.Lines.Add(objStudent.toString);
end;

//=====
//Question 2.2.2
//=====
procedure TfrmQuestionTWO.btnQuestion222Click(Sender: TObject);
var
  TxtFile: Textfile;
  sLine, sRegCode, sDate: String;
  iCount: Integer;
begin

if not FileExists('DataQ2.txt') then
begin
MessageDlg('File does not exists.', mtError, [mbOk], 0);
  Exit;
end;

AssignFile(TxtFile, 'DataQ2.txt');
Reset(TxtFile);

iCount := 0;
redQ2.Clear;
redQ2.Lines.Add('Name of student: ' + objStudent.GetName);
redQ2.Lines.Add('Dates of completed sessions:');
while NOT EOF(TxtFile) do
begin
readln(TxtFile, sLine);
if pos(objStudent.GetCode, sLine) = 1 then
begin
Delete(sLine, 1, pos('on ', sLine) + 2);
sDate := copy(sLine, 1, pos('#', sLine) - 1);
Delete(sLine, 1, pos('#', sLine));
if sLine = 'Completed' then
begin
redQ2.Lines.Add(sDate);
inc(iCount, 1);
end;
end;
end; // while
objStudent.setSessionsCompleted(iCount);
CloseFile(TxtFile);

redQ2.Lines.Add(#10);
redQ2.Lines.Add(objStudent.toString);

btnQuestion223.Enabled := true;
btnQuestion224.Enabled := true;
end;
```

```
//=====
//Question 2.2.3
//=====
procedure TfrmQuestionTWO.btnQuestion223Click(Sender: TObject);
var
  TxtFile: Textfile;
  sLine, sCompleted, sSesDate: String;
begin
  sSesDate := edtTrainingDate.text;

  if chkCompleted.Checked = false then
    sCompleted := 'Not Completed'
  else
  begin
    sCompleted := 'Completed';
    objStudent.increaseSessionsCompleted;
  end;

  sLine := objStudent.GetCode + ' trained on ' + sSesDate + '#' + sCompleted;

  AssignFile(TxtFile, 'DataQ2.txt');
  Append(TxtFile);
  writeln(TxtFile, sLine);
  CloseFile(TxtFile);

  ShowMessage('Information was successfully written to the file');

  redQ2.Lines.Clear;
  redQ2.Lines.Add(objStudent.ToString);
end;

//=====
//Question 2.2.4
//=====
procedure TfrmQuestionTWO.btnQuestion224Click(Sender: TObject);
var
  iSessions: Integer;
  sProgress: String;
begin
  iSessions := StrToInt(edtTotalSessions.text);
  sProgress := objStudent.evaluateProgress(iSessions);
  lblProgress.Caption := sProgress;
end;

// =====
// Supplied code
// =====
procedure TfrmQuestionTWO.FormCreate(Sender: TObject);
begin
  btnQuestion223.Enabled := false;
  btnQuestion224.Enabled := false;
end;
end.
```

**ANNEXURE I: SOLUTION FOR QUESTION 3: DELPHI**

```

unit Question3U;

interface

uses
  Windows, Messages, SysUtils, Variants, Classes, Graphics, Controls, Forms,
  Dialogs, StdCtrls, Buttons, ExtCtrls, ComCtrls;

type
  TfrmQuestion3 = class(TForm)
  pnlClose: TPanel;
  bmbClose: TBitBtn;
  pnlInput: TPanel;
  grpInput: TGroupBox;
  lblWorkshopQuestion: TLabel;
  lblTopic: TLabel;
  lblDay: TLabel;
  cboTopic: TComboBox;
  lblOutput: TLabel;
  lblUserComponents: TLabel;
  redDisplay: TRichEdit;
  btnDisplay: TButton;
  btnBook: TButton;
  btnCancelWorkshop: TButton;
  btnWater: TButton;
  lstDay: TListBox;
  Label1: TLabel;
  procedure btnDisplayClick(Sender: TObject);
  procedure btnBookClick(Sender: TObject);
  procedure display;
  procedure btnCancelWorkshopClick(Sender: TObject);
  procedure btnWaterClick(Sender: TObject);

private
  { Private declarations }
public
  { Public declarations }
end;

var
  frmQuestion3: TfrmQuestion3;

implementation

{$R *.dfm}
{$R+}

CONST
  MaxRow: Integer = 6;
  MaxCol: Integer = 4;

var
  arrWorkshops: Array [1 .. 6] of String = (
    'Aerobics',
    'Bodybuilding',
    'Cardio',
    'Dancing',
    'Energy Supplements',
    'First Aid'
  );

```

```

numWorkshops: Integer = 6;

arrBookings: Array [1 .. 6, 1 .. 4] of Integer = ((11, 14, 5, 14),
(15, 5, 20, 4), (10, 14, 16, 20), (20, 20, 20, 20), (16, 7, 10, 7),
(10, 18, 13, 11));
//=====
// Display
//=====
procedure TfrmQuestion3.btnExitClick(Sender: TObject);
begin
display;
end;
//=====
// Make a booking
//=====
procedure TfrmQuestion3.btnExitBookClick(Sender: TObject);
var
sWorkshop, sMsg: String;
i, iDay, iWShop: Integer;
begin
sWorkshop := cboTopic.Text;
iWShop := 0;
for i := 1 to numWorkshops do
if sWorkshop = arrWorkshops[i] then
iWShop := i;
if iWShop > 0 then
begin
iDay := lstDay.ItemIndex + 1;
if arrBookings[iWShop, iDay] < 20 then
begin
Inc(arrBookings[iWShop, iDay]);
sMsg := sWorkshop + ' on Day ' + IntToStr(iDay) + ' is successfully
booked';
end
else
sMsg := sWorkshop + ' on Day ' + IntToStr(iDay) + ' is fully booked';
end
else
sMsg := 'Workshop: ' + sWorkshop + ' Not available';
MessageDlg(sMsg, mtInformation, [mbOk], 0);
display;
end;
//=====
// Cancel a workshop
//=====
procedure TfrmQuestion3.btnExitCancelWorkshopClick(Sender: TObject);
var
i, iWShop, iDay, iRemoveLine: Integer;
sLine, sWorkshop: String;

begin
iRemoveLine := 0;
sWorkshop := cboTopic.Text;
for i := 1 to numWorkshops do
if sWorkshop = arrWorkshops[i] then
begin
iRemoveLine := i;
for iWShop := iRemoveLine to numWorkshops - 1 do
arrWorkshops[iWShop] := arrWorkshops[iWShop + 1];

```

```
for iDay := 1 to 4 do
for iWShop := iRemoveLine to numWorkshops - 1 do
arrBookings[iWShop, iDay] := arrBookings[iWShop + 1, iDay];

Dec(numWorkshops);
end;
display;
end;
//=====
// Determinethe number of cases of bottled water needed
//=====
procedure TfrmQuestion3.btnWaterClick(Sender: TObject);
var
iWShop, iDay, iTotal, iDayTot: Integer;
sLine: String;

begin
redDisplay.Paragraph.TabCount := 4;
redDisplay.Paragraph.Tab[0] := 156;
redDisplay.Paragraph.Tab[1] := 200;
redDisplay.Paragraph.Tab[2] := 250;
redDisplay.Paragraph.Tab[3] := 300;
redDisplay.Lines.Add('Bottles of water needed:');
iTotal := 0;
for iDay := 1 to 4 do
begin
iDayTot := 0;
for iWShop := 1 to numWorkshops do
iDayTot := iDayTot + arrBookings[iWShop, iDay];
redDisplay.Lines.Add('Day ' + IntToStr(iDay) + #9 + IntToStr(iDayTot));
iTotal := iTotal + iDayTot;
end;
redDisplay.Lines.Add(#10 + 'Total: ' + #9 + IntToStr(iTotal));
redDisplay.Lines.Add('Cases of bottled water needed: ' +
      FloatToStr(Round((iTotal/24) + 0.5)));
end;
//=====
// Display
//=====
procedure TfrmQuestion3.display;
var
iWShop, iDay: Integer;
sLine: String;
begin
redDisplay.Clear;
redDisplay.Paragraph.TabCount := 4;
redDisplay.Paragraph.Tab[0] := 150;
redDisplay.Paragraph.Tab[1] := 200;
redDisplay.Paragraph.Tab[2] := 250;
redDisplay.Paragraph.Tab[3] := 300;
redDisplay.Lines.Add
  ('Workshop' + #9 + 'Day 1' + #9 + 'Day 2' + #9 + 'Day 3' + #9 + 'Day 4' +
#10);
for iWShop := 1 to numWorkshops do
begin
sLine := arrWorkshops[iWShop];
for iDay := 1 to 4 do
sLine := sLine + #9 + IntToStr(arrBookings[iWShop, iDay]);
redDisplay.Lines.Add(sLine);
end;
end;
end.
```